Substitute for form 1449A/PTO INFORMATION DISCLOSURE				Complete if Known		
				Application No.	10/665,097	
				Filing Date	September 16, 2003	
STATEMENT BY APPLICANT				First Named Inventor	John Barrus	
				Art Unit	2173	
				Examiner Name	Not yet known	
Sheet	3	of	6	Attorney Docket Number	20412-07972	

			U.S. PAT	ENT DOCUMENTS
	T	Document No.	T	
Examiner Initials*	Cite No.	Number - Kind Code ² (if known)	Dete MM-DD-YYYY	Name of Patentee or Applicant of Cited Document
TYKB		US-5,680,636	10-21-1997	Levine et al.
		US-5,638,543	06-10-1997	Pedersen et el.
1		US-5,596,700	01-21-1997	Damell et al.
/	1.	US-5,481,666	01-02-1996	Nguyen et al.
		US-5,479,600	12-26-1995	Wroblewski et el.
		US-6-722-795	08-15-1995	Levine et al. 5,442 755
		US-5,418,948	05-23-1995	Turtle
	-	US-5,404,295	04-04-1995	Katz et al.
		US-5,384,703	01-24-1995	Withgott et al.
-7		US-5,349;658	09-20-1994	O'Rourke et al.
		US-5,309,359	05-03-1994	Katz et al.
		US-5,153,831	10-06-1992	Yianitos
	1	US-4,823,303	04-18-1989	Terasawa
$\neg au$		US-4.417.239	11-22-1983	Demke et al.

			FOREIGN PA	TENT DOCUMENTS	
		Foreign Patent Document			
Exeminer Initials*	Cite No.*	Country Code ³ – Number ⁶ Kind Code ⁸ (if known)	Publication Dete MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	7*
WRB		JP 8-297677 A	11-12-1996	Xerox Corporation	
		GB 2 290 898 A	01-10-1996	Canon Business Machines, Inc.	
\rightarrow	†	GB 2 234 609 A	02-06-1991	IBM Corporation	
	T-	GB 2 156 118 A	10-02-1985	Canon Kabushiki Kaisha	
	t	GB 2 137 788 A	10-10-1984	Gavilan Computer Corporation	
	 	EP 1 001 605 A3	05-17-2000	Xerox Corporation	

Examiner Signature	3/shall	K. Bots	Date Considered	4/9/06	1

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Oraw line through dilation if not in conformance and not considered, include copy of this form with next communication to applicant.

Applicants valvies disting dissipation number coptionals. Sea Mixes Costs of USPTO Patient Documents at www.uspto.gov or MPEP BO10.4. "Steep Office has taxwell the discounties by the ben-better code (MPD Standard S.13), "for Japanese patient discounces, the horizotan of the year of the region of the frequer mast proceds the safeth number of the gatent document. Which of document by the appropriate symbols as indicated on the document under WPPO Standard S.1. 6if possible. Applicate this operas or house. Then there is Engish in legacy Transitions is designed.

20412/07972/DOCS/1470201.1

4117105